

Calibrating Unit

New Standard Solution Report

Equipment	Alcotest 7110 MKIII-C	Serial No.:	ARXA-0031
Location:	PASSAIC CITY POLICE		
Calibration File No.:	02259	Calib. Date:	04/20/2022
Certification File No.:	02260	Cert. Date:	04/20/2022
Linearity File No.:	02261	Lin. Date:	04/20/2022
Solution File No.:	02277	Soln. Date:	05/06/2022
Sequential File No.:	02277	File Date:	05/06/2022
Calibrating Unit:	WET	Model No.:	CU-34
Control Solution %:	0.100%	Serial No.:	DDXB S3-111
Solution Control Lot:	21360	Expires:	09/01/2023
		Bottle No.:	1119

Function	Result	Time	Temperature	Comment(s)
	%BAC	HH:MM	Simulator (°C)	or Error(s)
Ambient Air Blank	0.000%	11:10D		
Control 1 EC	0.098%	11:11D	34.0°C	AMBIENT AIR CHECK ERR
Control 1 IR	-.---%	11:11D	34.0°C	AMBIENT AIR CHECK ERR
Ambient Air Blank	-.---%	11:11D		
Control 2 EC	-.---%	--:--	N/A	
Control 2 IR	-.---%	--:--	N/A	
Ambient Air Blank	-.---%	--:--		
Control 3 EC	-.---%	--:--	N/A	
Control 3 IR	-.---%	--:--	N/A	
Ambient Air Blank	-.---%	--:--		

Test results are not within acceptable range.

On this date, I installed the above indicated "NEW SOLUTION" in accordance with Alcotest 7110 operator training and procedures established by the (NJSP) Chief Forensic Scientist.

Changed By:			
Last Name: TENDERENDA	First Name: GREGORY	MI: -	
Signature: 	Badge No.: 364	Date: 05/06/2022	
	364		

DEPARTMENT OF
Law and Public Safety
 This is to certify that
Gregory Tenderenda

Passaic City

IS QUALIFIED AND COMPETENT TO CONDUCT CHEMICAL BREATH ANALYSES PURSUANT TO CHAPTER 142 OF

THE LAWS OF 1966 IN THE OPERATION OF THE Alcotest 7110 MKIII-C

A SETBACK TO DETERMINE INTOXICATION.

GIVEN UNDER MY HAND AT TRENTON, NEW JERSEY THIS 3rd DAY OF August

TWO THOUSAND AND Twenty

[Signature]
 CHIEF OF POLICE
 NEW JERSEY STATE POLICE

[Signature]
 ATTORNEY GENERAL
 STATE OF NEW JERSEY

ORIGINAL COURSE DATES 2/11/2013-2/14/2013

DATE	Refresher Course PLACE	INSTRUCTOR
1. <u>7/31/2018</u>	<u>M.C.P.A.</u>	<u>Roushinko</u>
2. <u>9-11-20</u>	<u>WYOMING CO PA</u>	<i>[Signature]</i>
3. <u>2-5-22</u>	<u>WAYNE</u>	<i>[Signature]</i>
4.		
5.		
6.		
7.		
8.		
9.		